ELSEVIER

Journal of Organometallic Chemistry 629 (2001) 221

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 629

Ahmed, M.O., 160
Alder, M.J., 153
Antiñolo, A., 54, 68

Bacsa, J., 171
Barclay, T., 83
Bauer, J.A.K., 165
Baumgartner, J., 208
Becker, T.M., 165
Beletskaya, I.P., 219
Bene, J.E.D., 165
Benetollo, F., 201
Bennett, M.A., 7
Bertani, R., 201
Bhadbhade, M.M., 160
Byrne, S., 182

Carrillo-Hermosilla, F., 68
Caubet, A., 97
Chakraborty, S., 160
Chen, M., 213
Cheprakov, A.V., 219
Claver, C., 77
Coat, F., 39
Cordes, W., 83
Cox, M.G., 182

Darkwa, J., 171
Das, D., 28
Ddamba, W.A., 171
Diéguez, M., 77
Dinda, J., 28

Edwards, A.J., 7

Fajardo, M., 54
Falcon, M., 187
Falvello, L.R., 28
Farnetti, E., 187
Fernández-Baeza, J., 68
Ferré, K., 19
Flower, K.R., 153
Freisinger, E., 97

Galardon, E., 145
Ganis, P., 201
Gao, L.-x., 47
Gao, Z.-w., 47
Guerchais, V., 19
Gupta, B.D., 83

Harper, J.R., 7
Hu, D.-d., 47
Hu, H., 213
Hu, Y., 213

Inoue, K., 1
Ishikawa, J.-i., 1
Itoh, M., 1
Iwai, K., 44
Iwata, K., 1

Jary, W.G., 208
Jiang, X., 213
Jones, C., 109

Karlstedt, N.B., 219
Kashin, A.N., 219
Kazankov, G.M., 219
Khimyak, T., 7
Kim, C., 194

Lahiri, G.K., 160
Lapinte, C., 39
Lara-Sánchez, A., 68
Le Maux, P., 145
Liang, Q.-q., 47
Lippert, B., 97
López, C., 97
López-Solera, I., 68
Lucas, D., 54

Mahler, A.-K., 208
Manning, A.R., 182
Marsich, N., 187
Mathur, P., 160
Mintcheva, N., 61
Mitin, A.V., 219
Modarres Tehrani, Z., 54
Moreno, V., 97
Mori, A., 61
Moutloali, R.M., 171
Mugnier, Y., 54
Mukhopadhyay, S., 160

Nishihara, Y., 61
Nishiyama, K., 44

Oba, M., 44
Ohtaki, H., 44
Orchin, M., 165
Osakada, K., 61
Otero, A., 54, 68
Ouchi, A., 93

Pàmies, O., 77
Pandolfo, L., 201
Park, J., 194
Paul, C., 145
Poignant, G., 19
Pola, J., 93
Poriel, C., 145
Pritchard, R.G., 153
Puranik, V.G., 160
Purkathofer, T., 208

Richards, A.F., 109
Rickard, C.E.F., 114
Riera, X., 97
Ruiz, A., 77

Santra, P.K., 28
Simonneaux, G., 145
Sinha, C., 28
Sutherland, H.S., 114, 131

Tejeda, J., 68
Thominot, P., 39
Tiwari, U., 83
Toupet, L., 19

Umbarkar, S.B., 160

Wang, J., 213
Watanabe, Y., 44
Willermann, M., 97
Willis, A.C., 7
Woodgate, P.D., 114, 131

Zanotto, L., 201
Zhang, X.-l., 47
Zhang, Z.-T., 47

PII: S0022-328X(01)00990-1

ELSEVIER

Journal of Organometallic Chemistry 629 (2001) 223–226

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 629

ab initio
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165
Acetylide
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3\text{-}(CCPh)\}_2]$, 160
[4 + 2] Adduct
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44
Alkanoylferrocenes
A convenient synthesis of *E*-alkenylferrocenes, 208
Alkenylferrocene
A convenient synthesis of *E*-alkenylferrocenes, 208
Alkynyl
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of $[Au(C{\equiv}CPh)\{6\text{-}P(Ph)_2\text{-}1\text{-}(4\text{-}Me_2N\text{–}C_6H_4N_2)\text{–}C_{10}H_5\text{-}2\text{-}OH\}]\cdot CHCl_3$, 153
Alkynylaminocarbenes
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131
Arene
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7

Base catalysts
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, 1

Cage
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
Carbene complexes
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
Carbonyl
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3\text{-}(CCPh)\}_2]$, 160
Carbonyl attack
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with $[Fe(\eta\text{-}C_5H_5)(CO)_2(L)]^+$ salts and $[Fe(\eta\text{-}C_5H_5)(CO)_2X]$ complexes, 182
Carbosilane
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194
Cationic complex
Reactions of $HOSiMe_2Ar$ with $Pt\text{–}PPh_3$ complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61
C–C activation
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
C–Cl activation
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
Chalcogen
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3\text{-}(CCPh)\}_2]$, 160
Chelating ligand
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7
Cholesterol
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194
Chromium
β-Lactams (including polycyclic) derived from chromium carbenes, 114
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131
cis–trans Influence
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N_3Co^{III}(dmgH)(dpgH)Py and N_3Co^{III}(chgH)(dpgH)Py, 83
Cleavage reactions
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
Clusters
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3\text{-}(CCPh)\}_2]$, 160
$(C_5Me_5)(dppe)FeC{\equiv}C\text{–}C{\equiv}C\text{–}Fe(dppe)(C_5Me_5)$
Reaction of 1,3-diynes with the electron rich iron complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}Cl$. A new and direct access to the iron butadiynyl complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}C{\equiv}CC{\equiv}CSiMe_3$, 39
$(C_5Me_5)Fe(dppe)(C{\equiv}C\text{–}C{\equiv}CSiMe_3)$
Reaction of 1,3-diynes with the electron rich iron complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}Cl$. A new and direct access to the iron butadiynyl complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}C{\equiv}CC{\equiv}CSiMe_3$, 39
Cobaloxime
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N_3Co^{III}(dmgH)(dpgH)Py and N_3Co^{III}(chgH)(dpgH)Py, 83
Cobalt
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N_3Co^{III}(dmgH)(dpgH)Py and N_3Co^{III}(chgH)(dpgH)Py, 83

PII: S0022-328X(01)00991-3

Crystal structure
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of [Au(C≡CPh){6-P(Ph)$_2$-1-(4-Me$_2$N–C$_6$H$_4$N$_2$)–C$_{10}$H$_5$-2-OH}]·CHCl$_3$, 153
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
Crystal structures
Synthesis, characterization and crystal structure of [Pt(Me)(dppe)-{η^1-CH(PPh$_3$)(COOEt)}]BF$_4$. An example of overcrowded molecule and correlated properties, 201
Cyclometallation
Versatility in the mode of coordination [(C)$^-$, (N,S), (C,N)$^-$ or (C,N,S)$^-$] of the Schiff base: C$_6$H$_5$–CH=N–CH$_2$–CH$_2$–SEt to palladium(II). X-ray crystal structures of *cis*-[Pd{C$_6$H$_5$–CH=N–CH$_2$–CH$_2$–SEt}Cl$_2$] and [Pd{C$_6$H$_4$–CH=N–CH$_2$–CH$_2$–SEt}Cl], 97
Cyclopalladated compound
Cyclopalladation versus hydroxylation. A case of pH dependence, 28
Cyclopentadienyl
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*ZrCl$_3$(2-TCMP)], Cp* = η^5-C$_5$Me$_5$, 2-TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, 68
Cyclopentadienylnickel(II)
Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of Ni(η^5-C$_5$H$_5$)(PBu$_3$)(SC$_6$H$_4$NC(H)C$_6$H$_4$C$_6$H$_5$) and Ni(η^5-C$_5$H$_5$)(PBu$_3$)(SC$_6$H$_4$NC(H)C$_6$H$_4$OC$_4$H$_9$), 171

Dehydrogenation
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44
Dendrimer
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194
Dialkanoylferrocenes
A convenient synthesis of *E*-alkenylferrocenes, 208
Dialkenylferrocene
A convenient synthesis of *E*-alkenylferrocenes, 208
Dicarboxylato ligand
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54
Diethyl selenium
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93
Diethyl tellurium
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93
Dihydroxyalkylferrocene
A convenient synthesis of *E*-alkenylferrocenes, 208
Dimanganese complexes
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165
Dioxime
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N$_3$Co^{III}(dmgH)(dpgH)Py and N$_3$Co^{III}(chgH)(dpgH)Py, 83
Diphosphine
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77
9,10-Disilaanthracene
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44
Disproportionation reactions
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, 1
Diterpenoid
β-Lactams (including polycyclic) derived from chromium carbenes, 114
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131

EHMO calculations
Cyclopalladation versus hydroxylation. A case of pH dependence, 28
Electrochemistry
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster [Fe$_2$(CO)$_6$(μ$_3$-S)$_2$W{(η^5-C$_5$H$_5$)W(CO)$_3$-(CCPh)}$_2$], 160
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7
ESR spectroscopy
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54

Fischer carbene
β-Lactams (including polycyclic) derived from chromium carbenes, 114
Fluoride
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with [Fe(η-C$_5$H$_5$)(CO)$_2$(L)]$^+$ salts and [Fe(η-C$_5$H$_5$)(CO)$_2$X] complexes, 182

Gold
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of [Au(C≡CPh){6-P(Ph)$_2$-1-(4-Me$_2$N–C$_6$H$_4$N$_2$)–C$_{10}$H$_5$-2-OH}]·CHCl$_3$, 153
Group 13
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
Group 15
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

Heterocycle
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
Hydroxide
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with [Fe(η-C$_5$H$_5$)(CO)$_2$(L)]$^+$ salts and [Fe(η-C$_5$H$_5$)(CO)$_2$X] complexes, 182
Hydroxyalkylferrocene
A convenient synthesis of *E*-alkenylferrocenes, 208
Hydroxylation
Cyclopalladation versus hydroxylation. A case of pH dependence, 28

Indole
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131

Interfacial reaction
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47
Iron
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with [Fe(η-C_5H_5)$(CO)_2$(L)]$^+$ salts and [Fe(η-C_5H_5)$(CO)_2$X] com-plexes, 182
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
Isocyanides complexes
^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4$ $(d_{xy})^1$ configuration, 145

α-Keto ylide
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*$ZrCl_3$(2-TCMP)], Cp* = η^5-C_5Me_5, 2-TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, 68

β-Lactam
β-Lactams (including polycyclic) derived from chromium carbenes, 114
Laser photolysis
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93
Low coordination
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

Metal complexes
Synthesis, characterization and crystal structure of [Pt(Me)(dppe){η^1-CH(PPh_3)(COOEt)}]BF_4. An example of overcrowded molecule and correlated properties, 201
Mixed-metal
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster [$Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3(CCPh)\}_2$], 160
Molecular mechanism
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93

α-Naphthylazoimidazoles
Cyclopalladation versus hydroxylation. A case of pH dependence, 28
Niobocene
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54
NMR characterisation
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77
Nuclear magnetic resonance
^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4$ $(d_{xy})^1$ configuration, 145

Palladium
Versatility in the mode of coordination [(C)$^-$, (N,S), (C,N)$^-$ or (C,N,S)$^-$] of the Schiff base: C_6H_5–CH=N–CH_2–CH_2–SEt to palladium(II). X-ray crystal structures of *cis*-[Pd{C_6H_5–CH=N–CH_2–CH_2–SEt}Cl_2] and [Pd-{C_6H_4–CH=N–CH_2–CH_2–SEt}Cl], 97
Palladium catalyst
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44
Palladium(II) complex
Cyclopalladation versus hydroxylation. A case of pH dependence, 28
Paramagnetic complexes
^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4$ $(d_{xy})^1$ configuration, 145
Phenylacetylene
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187
Phenylsilane
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, 1
Phosphavinyl
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
Phosphine
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7
Phosphorus
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
Phosphorus ylides
Synthesis, characterization and crystal structure of [Pt(Me)(dppe)-{η^1-CH(PPh_3)(COOEt)}]BF_4. An example of overcrowded molecule and correlated properties, 201
Photochemistry
β-Lactams (including polycyclic) derived from chromium carbenes, 114
Platinum
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61
Synthesis, characterization and crystal structure of [Pt(Me)(dppe){η^1-CH(PPh_3)(COOEt)}]BF_4. An example of overcrowded molecule and correlated properties, 201
Polymerization
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187
Pyridine
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194

Reduction
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with [Fe(η-C_5H_5)$(CO)_2$(L)]$^+$ salts and [Fe(η-C_5H_5)$(CO)_2$X] complexes, 182
Reductive coupling
A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by $TiCl_4$–Zn, 213
Rhodium
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187
Rhodium complexes
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77
Ruthenium
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7

Ruthenium porphyrins
[1]H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4$ $(d_{xy})^1$ configuration, 145

Salicylic acid
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

Schiff base
Versatility in the mode of coordination [$(C)^-$, (N,S), $(C,N)^-$ or $(C,N,S)^-$] of the Schiff base: C_6H_5–CH=N–CH_2–CH_2–SEt to palladium(II). X-ray crystal structures of *cis*-[Pd{C_6H_5–CH=N–CH_2–CH_2–SEt}Cl_2] and [Pd{C_6H_4–CH=N–CH_2–CH_2–SEt}Cl], 97

Silanol
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

Siloxane
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194

Siloxo complex
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

Silver
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*$ZrCl_3$(2-TCMP)], Cp* = η^5-C_5Me_5, 2-TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, 68

Strong hydrogen bonds
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165

4-Substituted cyclobutene-1,2-diones
A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by $TiCl_4$–Zn, 213

Sugar derivatives
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77

Synthesis
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

Thermal behaviour
Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of Ni(η^5-C_5H_5)(PBu_3)($SC_6H_4NC(H)C_6H_4C_6H_5$) and Ni(η^5-C_5H_5)(PBu_3)($SC_6H_4NC(H)C_6H_4OC_4H_9$), 171

Thioimine
Versatility in the mode of coordination [$(C)^-$, (N,S), $(C,N)^-$ or $(C,N,S)^-$] of the Schiff base: C_6H_5–CH=N–CH_2–CH_2–SEt to palladium(II). X-ray crystal structures of *cis*-[Pd{C_6H_5–CH=N–CH_2–CH_2–SEt}Cl_2] and [Pd{C_6H_4–CH=N–CH_2–CH_2–SEt}Cl], 97

Thiolato Schiff base complexes
Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of Ni(η^5-C_5H_5)(PBu_3)($SC_6H_4NC(H)C_6H_4C_6H_5$) and Ni(η^5-C_5H_5)(PBu_3)($SC_6H_4NC(H)C_6H_4OC_4H_9$), 171

$TiCl_4$–Zn reagent
A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by $TiCl_4$–Zn, 213

Titanium
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*$ZrCl_3$(2-TCMP)], Cp* = η^5-C_5Me_5, 2-TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, 68

Titanocene
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

Transmetalation
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

Triethylamine
Reaction of 1,3-diynes with the electron rich iron complex (η^5-C_5Me_5)(η^2-dppe)Fe–Cl. A new and direct access to the iron butadiynyl complex (η^5-C_5Me_5)(η^2-dppe)-Fe–C≡CC≡C$SiMe_3$, 39

X-ray structure
Cyclopalladation versus hydroxylation. A case of pH dependence, 28

X-ray structures
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165

Zirconium
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*$ZrCl_3$(2-TCMP)], Cp* = η^5-C_5Me_5, 2-TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, 68